









Disc Braking Gravel Rims

Item #	Profile/Depth	Outer Width	Internal Width	Size	Drawing	Tubeless Ready	Weight
650B-30CT	30mm	28mm	22mm	650B		YES	360+/-10g
30CT	35mm	27.6mm	22mm	700C		YES	395+/-10g
40CT	40mm	27.6mm	22mm	700C		YES	410+/-110g
650B-45CT	45mm	30mm	22mm	650B		YES	390+/-10g

V Brake 26mm Width 700C Road Rims

Item #	Profile/Depth	Outer Width	Internal Width	Size	Drawing	Tubeless Ready	Weight
35CT	35mm	26mm	17mm	700c		Yes	390±15g
45CT	45mm	26mm	17mm	700C		Yes	410±15g

29mm Light D+V Brake Gravel+Road Rims, Available in **Symmetric and **Asymmetric****

Item #	Profile/Depth	Outer Width	Internal Width	Size	Drawing	Tubeless Ready	Weight
30GR	30mm	29mm	22mm	700c		Yes	360+/-10g
35GR	35mm	29mm	22mm	700c		Yes	375+/-15g









40GR	40mm	29mm	22mm	700c		Yes	390±10g
45GR	45mm	29mm	22mm	700c		Yes	405±10g
50GR	50mm	29mm	22mm	700c		Yes	425±10g








28/25mm Width V Brake 700C Road Rims

Item #	Profile/Depth	Outer Width	Internal Width	Size	Drawing	Tubeless Ready	Weight
2538CT	38mm	28/25	18mm	700C		YES	475±15g
2550CT	50mm	28/25	18mm	700C		YES	495±15g
2560CT	80mm	28/25	18mm	700C		YES	540±15g

31mm Width All Road Rims

Item #	Profile/Depth	Outer Width	Internal Width	Size	Drawing	Tubeless Ready	Weight
31-29C	29mm	31mm	25mm	700C		Yes	370+/-10g
31-34C	34mm	31mm	25mm	700C		Yes	390+/-10g

31-39C	39mm	31mm	25mm	700C		Yes	410+/-10g
31-44C	44mm	30.75 mm	25mm	700C		Yes	420+/-10g
31-49C	49mm	31mm	25mm	700C		Yes	440+/-10g
31-54C	54mm	30.5mm	25mm	700C		Yes	450+/-10g
31-29T	29mm	31mm		700C		Tubular	295+/-10g
31-34T	34mm	31mm		700C		Tubular	310+/-10g
31-39T	39mm	31mm		700C		Tubular	310+/-10g
31-44T	44mm	30.75 mm		700C		Tubular	330+/-10g

31-49T	49mm	31mm		700C		Tubular	350+/-10g
31-54T	54mm	30.5 mm		700C		Tubular	380+/-10g
650C Rims							
Item #	Profile/Depth	Outer Width	Internal Width	Size	Drawing	Tubeless Ready	Weight
650CC	50mm	24.5mm	23mm	650C		NO	440+/-15g
650CT	50mm	24.5mm	23mm	650C		Tubular	360+/-15g
BMX Rims							
Item #	Profile/Depth	Outer Width	Internal Width	Size	Drawing	Tubeless Ready	Weight
406-45CT	45mm	23mm	16mm	406		yes	310+/-15g
305-35CT	35mm	30mm	24mm	305		yes	225+/-15g
451-50C	50mm	24.5mm	23mm			no	410+/-15g