





















MTB RIMS

Item #	Profile /Depth	Outer Width	Internal Width	Rim Feature	Tubeless Ready	Tire Size	Rim Size	Drawing	Weight
MTB17-26	24mm	24mm	19.6mm	Symmetric	YES	1.25 Inch-1.95 Inch	26 Inch		230+/-10g
27.5 Inch								240+/-10g	
29 Inch								250+/-10g	
MTB02-27.5	23mm	27mm	22mm	Symmetric, 2.6mm asymmetric	YES	1.5 Inch-2.2 Inch	27.5 Inch		255+/-10g
MTB02-29							29 Inch		270+/-10g
MTB02T-27.5	23mm	27mm		Symmetric	Tubular	1.5 Inch-2.2 Inch	27.5 Inch		290+/-10g
MTB02T-29							29 Inch		310+/-10g
MTB06-27.5	28mm	25mm	22mm	2.6mm asymmetric	YES	1.5 Inch-2.2 Inch	27.5 Inch		275+/-10g
MTB06-29							29 Inch		290+/-10g
MTB32-27.5	23mm	29mm	23mm	2.6mm asymmetric	YES	1.5 Inch-2.2 Inch	27.5 Inch		275+/-10g
MTB32-29							29 Inch		290+/-10g

MTB21-26				Symmetric			26 Inch		280+/-10g
MTB21-27.5	25mm	30mm	25mm	Symmetric	YES	1.8 Inch-2.5 Inch	27.5 Inch		295+/-10g
MTB21-29				Symmetric, 2.6mm asymmetric			29 Inch		310+/-10g
MTB11-27.5				Symmetric	YES	1.8 Inch-2.5 Inch	27.5 Inch		385+/-15g
MTB11-29	30mm	30mm	23.4mm	Symmetric	YES	1.8 Inch-2.5 Inch	29 Inch		400+/-15g
MTB29-29	25mm	31mm	25mm	Symmetric	YES	1.8 Inch-2.5 Inch	29 Inch		340+/-10g
MTB26-27.5				3mm asymmetric	YES	1.95 Inch-2.5 Inch	27.5 Inch		350+/-10g
MTB26-29	25mm	33mm	27mm	3mm asymmetric	YES	1.95 Inch-2.5 Inch	29 Inch		365+/-10g
MTB22-27.5				Symmetric	YES	1.95 Inch-2.5 Inch	27.5 Inch		350+/-10g
MTB22-29	27mm	32.6mm	27mm	Symmetric	YES	1.95 Inch-2.5 Inch	29 Inch		365+/-10g

MTB08-27.5	30.2 mm	33mm	27mm	Asymmetric 3mm	YES	1.95 Inch-2.5 Inch	27.5 Inch		375+/-10g
MTB08-29							29 Inch		390+/-10g
MTB01-26	25mm	35mm	30mm	Symetric	YES	2.0 Inch-2.55 Inch	26 Inch		330+/-10g
MTB01-27.5							27.5 Inch		345+/-10g
MTB01-29							29 Inch		360+/-10g
MTB14-27.5	30mm	35mm	28mm	Symmetric	YES	2.0 Inch-2.55 Inch	27.5 Inch		AM:445±15g
MTB14-29							29 Inch		AM:470±15g
MTB31-27.5	25mm	36mm	30mm	Asymmetric 2.8mm	YES	2.0 Inch-2.55 Inch	27.5 Inch		355+/-10g
MTB31-29							29 Inch		370+/-10g

MTB24-27.5							27.5 Inch		375+/-10g
MTB24-29	30mm	36mm	30mm	Symetric	YES	2.0 Inch-2.55 Inch	29 Inch		400+/-10g
MTB19-27.5							27.5 Inch		370+/-10g
MTB19-29	28mm	36mm	30mm	Asymmetric 3.5mm	YES	1.95 Inch-2.5 Inch	29 Inch		390+/-10g
MTB30-27.5							27.5 Inch		375+/-10g AM:440± 15g DH:530 ±15g
MTB30-29	26mm	38mm	32mm	Asymmetric 3.0mm	YES	2.3 Inch-3.0 Inch	29 Inch		390+/-10g AM:460± 15g DH:550 ±15g
MTB04-27.5							27.5 Inch		390+/-10g AM:440± 15g
MTB04-29	30mm	40mm	34mm	Symetric	YES	2.3 Inch-3.0 Inch	29 Inch		410+/-10g AM:460± 15g
MTB07-26D							26 Inch		DH:550± 15g
MTB07-27.5D	32mm	40mm	31mm	Symmetric	YES	2.3 Inch-3.0 Inch	27.5 Inch		DH:570± 15g
MTB07-29D							29 Inch		DH:600± 15g

MTB03-27.5							27.5 Inch		AM:500±15g
MTB03-29	25mm	50mm	45mm	Symmetric	YES	2.7 Inch-3.8 Inch	29 Inch		AM:560±15g
MTB09-27.5							27.5 Inch		AM:540±15g
MTB09-29	34mm	52mm	45mm	Symmetric	YES	2.7 Inch-3.8 Inch	29 Inch		AM:560±15g
FAT RIMS									
Item #	Profile /Depth	Outer Width	Internal Width	Tubeless Ready	Tire Size	Rim Size		Drawing	Weight
FAT26-80	25mm	80mm	75mm	YES	>=3.8 Inch	26 Inch			680±15g
FAT26-100	25mm	100 mm	95mm	YES	>=4.0 Inch	26 Inch			750±15g
FAT26-65	25mm	65 mm	60mm	YES	3.0 Inch-4.8 Inch	26 Inch			600±15g
FAT24-80	25mm	80mm	75mm	YES	>=3.8 Inch	24 Inch			580±15g

FAT27.5-85	40mm	85mm	79mm	YES	≥ 3.8 Inch	27.5 Inch		660±15g
FAT27.5-80	28mm	80mm	74mm	YES	≥ 3.8 Inch	27.5 Inch		615±15g